



Name	Hyun Gun Kim
Affiliation	Dep. of Internal Medicine, Soonchunhyang University College of Medicine.
Country	South Korea
Major Field	Gastroenterology

Educational Background

1993-1999 Bachelor's degree, Soonchunhyang University College of Medicine

2001-2003 Master's degree, Soonchunhyang University College of Medicine

2006-2008 Ph.D. Soonchunhyang University College of Medicine

Professional Experience

2013-2015, Visiting Associate Professor, Stanford University Hospital, USA

2019-present Professor, Soonchunhyang University College of Medicine

Main Scientific Publications

1. Usefulness of narrow-band imaging for the detection of remnant sessile-serrated adenoma (SSA) tissue after endoscopic resection: the KASID multicenter study. *Surg Endosc.* 2021;35:5217-5224.
2. Factors Predictive of Complete Excision of Large Colorectal Neoplasia Using Hybrid Endoscopic Submucosal Dissection: A KASID Multicenter Study. *Dig Dis Sci.* 2018;63:2773-2779.
3. Impact of patient audio-visual re-education through a smartphone on quality of bowel preparation before colonoscopy; a single-blinded randomized study. *Gastrointest Endosc.* 2018;87:789-99.
4. Risk of metachronous neoplasia on surveillance colonoscopy in young patients with colorectal neoplasia. *Gastrointest Endosc* 2018;87:666-73
5. Effect of prior biopsy sampling, tattoo placement, and snare sampling on endoscopic resection of large nonpedunculated colorectal lesions. *Gastrointest Endosc.* 2015;81:204-13.
6. How to predict adequate bowel preparation before colonoscopy using conventional polyethylene glycol: Prospective observational study based on survey. *Dig Endosc.* 2015;27:87-94.
7. Underwater endoscopic mucosal resection for recurrences after previous piecemeal resection of colorectal polyps (with video). *Gastrointest Endosc.* 2014;80:1094-102.
8. Effect of prior biopsy sampling, tattoo placement, and snare sampling on endoscopic resection of large nonpedunculated colorectal lesions.. *Gastrointest Endosc.* 2015;81:204-13.
9. Outcomes of endoscopic treatment of second recurrences of large nonpedunculated colorectal adenomas..*Surg Endosc.* 2016;30: 2457-2464.
10. Sodium Picosulfate with Magnesium Citrate (SPMC) Plus Laxative Is a Good Alternative to Conventional Large Volume Polyethylene Glycol in Bowel Preparation: A Multicenter Randomized Single-Blinded Trial. *Gut Liver.* 2014; 9:494-501.